Journal of Imaging Technology™

A bimonthly publication of the
Society of Photographic Scientists and Engineers

INDEX TO VOLUME 11 1985

Subject 312
Author 314

Only technical papers (P), Image Technology® (IT), Technical Notes (N), and Tutorial papers (T) are included in this index

Number 1, February 1–42
Number 2, April 43–86
Number 3, June 87–144
Number 4, August 145–196
Number 5, October 197–248
Number 6, December 249–316

Journal of Imaging Technology
Volume 11, Number 6, December 1985

Subject Index

Acid regeneration
Photogeneration of acid: Part 6—A preview of basic principles for resist imaging application (T), 4: 146–157

Audio recording
Durable recording of magneto-optic images (P), 3: 113–116

Black & white films
Grain distribution and sensitivity characteristics of photographic black and white films (P), 1: 17–21

CCD
4 × 1024 CCD array for remote sensing applications (P), 5: 198–204

CCD chip shifting
High resolution CCD imager with CCD-chip-shift operation (P), 5: 205–209

CCD color video camera
A new frequency interleaving CCD color video camera (P), 5: 243–248

Charge coupled device
High-speed image scanner (P), 5: 210–214

Chemical management
Developer reuse: a case history (P), 2: 59–63
Evaluation of a plate and frame heat exchanger in a large volume photoprocessing facility (N) 2: 83–85
Experience with ion exchange for silver recovery from photographic effluents (P), 2: 51–58
Optimizing silver recovery in photofinishing operations (P), 2: 43–50
Successful C-42 developer recycling (P), 2: 64–66
Total chemical management in photographic processing (P), 2: 74–82
Wash water heat recovery (P), 2: 67–73

Coating
Evaporated AgBr layers as a medium for recording micron and submicron structures (P), 4: 174–179
Spin coating (P), 4: 184–190

Color film
New Kodak Ektachrome 22 and 21 Papers, Kodak Ektachrome 23 Film, and Kodak Ektachrome R-3 Chemicals (P), 1: 22–27

Color imaging
Leuco color formers, modern imaging materials (P), 5: 224–228

Color negative print
Evolution of Kodak photographic color negative print papers (T), 3: 93–97

Color paper
New Kodak Ektachrome 22 and 21 Papers, Kodak Ektachrome 23 Film, and Kodak Ektachrome R-3 Chemicals (P), 1: 22–27

Color printing
Color ink jet printing—high resolution and compound jet applications (P), 1: 1–17

Color processing
Agfachrome speed—a novel dye diffusion material for prints from color slides (P), 3: 101–104

Color reproduction
Agfachrome speed—a novel dye diffusion material for prints from color slides (P), 3: 101–104
Procedures of making color fiche transparencies of maps, charts, and documents (P), 1: 12–17

Computer output
Color ink jet printing—high resolution and compound jet applications (P), 1: 1–7

Computers
The impact of technology on tomorrow's photofinishing (P), 3: 98–101

Developer
Successful C-42 developer recycling (P), 2: 64–66

Developer regeneration
Developer reuse: a case history (P), 2: 59–63

Diazo
UV-fixable thermal recording paper (P), 3: 137–142

Digital image analysis
Image analysis of tomato leaves with late blight (P), 3: 109–112

Digital image processing
Digital to analog conversion and visual evaluation of thematic mapper data (P), 3: 125–130

Digital images
Durable recording of magneto-optic images (P), 3: 113–116

Digital imaging
Streamlining unit record filing operations with digital imaging technology (P), 1: 39–42

Digitizing
Prototype system for electronic document image storage and retrieval (P), 5: 220–223

Displays
Progress in liquid crystal displays (P), 5: 236–238

Document storage/retrieval
Prototype system for electronic documnet image storage and retrieval (P), 5: 220–223

Double convolution
A technique to record only dimensional information in photographs (P), 1: 32–34

Dye images
Influence of azo-dye aggregation on the dark stability of Cibachrome® images (P), 3: 105–108

Dynamic range compression
Real-time dynamic range compression of electronic images (P), 5: 229–232

Electronic imaging
Application of photogrammetry to super wide field view scanned images (P), 5: 233–235
Electronic extention xerography (P), 5: 239–243
Image analysis of tomato leaves with late blight (P), 3: 109–112
Progress in liquid crystal displays (P), 5: 236–238
Prototype system for electronic document image storage retrieval (P), 5: 220–223
Real-time dynamic range compression of electronic images (P), 5: 229–232
The impact of technology on tomorrow's photofinishing (P), 3: 98–101

Electron imaging
A new frequency interleaving CCD color video camera (P), 5: 243–248
4 × 1024 CCD array for remote sensing applications (P), 5: 198–204
High resolution CCD imager with CCD-chip-shift operation (P), 5: 205–209
High-speed image scanner (P), 5: 210–214
Photon-counting image acquisition system and its applications (P), 5: 215–220

Electrophotography
Electrostatic characteristics of electrophotographic powder (P), 6: 287–294
European developments in electrophotographic non-impact printing technologies (T), 6: 254–260
Physics of development in the 6670 electrophotographic printer (P), 6: 295–299
Modeling of edge noise in particulate images (P), 3: 131–136

Gradient illumination
A technique to record only dimensional information in photographs (P), 1: 32–34

Granularity
Grain distribution and sensitivity characteristics of photographic black and white films (P), 1: 17–21

Growth morphology
Growth morphology of evaporated silver bromide layers (P), 4: 180–183

Heat exchanger
Evaluation of a plate and frame heat exchanger in a large volume photoprocessing facility (N), 2: 83–85

Hot roll fusing
Hot roll fusing of monocomponent toners (P), 6: 261–267

Hypersensitization
X-ray films: suppression of reciprocity failure by astronomical techniques (P), 1: 27–32

Image acquisition
Photon-counting image acquisition system and its applications (P), 5: 215–220

Image evaluation
Digital to analog conversion and visual evaluation of thematic mapper date (P), 3: 125–130

Establishing print-quality standards and an end-of-line audit procedure (P), 3: 117–125
Grain distribution and sensitivity characteristics of photographic black and white films (P), 1: 17–21
Influence of azo-dye aggregation on the dark stability of Cibachrome® images (P), 3: 105–108
Modeling of edge noise in particulate images (P), 3: 131–136

Image scanner
High-speed image scanner (P), 5: 210–214

Ink jet printing
Color ink jet printing—high resolution and compound jet applications (P), 1: 1–7

Ion exchange
Experience with ion exchange for silver recovery from photographic effluents (P), 2: 51–58

IR sensors
Real-time dynamic range compression of electronic images (P), 5: 229–232

Large format camera
High precision shutter for large format cameras (P), 1: 35–39

Laser printer
High resolution laser printer (P), 6: 300–305

Lasers
A new phthalocyanine photoreceptor for diode laser printers (P), 1: 7–11

LED arrays
Text and image printing with LED arrays (P), 6: 306–310

Leuco color formers
Leuco color formers, modern imaging materials (P), 5: 224–228

Light sources
European developments in electrophotographic non-impact printing technologies (T), 6: 254–260

Liquid crystals
Progress in liquid crystal displays (P), 5: 236–238

Magnetic striping
Durable recording of magneto-optic images (P), 3: 113–116

Math modeling
Modeling of edge noise in particulate images (P), 3: 131–136

Microelectronics
Characterization of positive photoresists performance (P), 4: 168–174
Evaporated AgBr layers as a medium for recording micron and submicron structures (P), 4: 174–179
Growth morphology of evaported silver bromide layers (P), 4: 180–183
Peel-apart imaging systems based on photoactivated surfactants (P), 4: 191–195
Photogeneration of acid: Part 6—A preview of basic principles for resist imaging applications (T), 4: 146–157
Plasma developable resists and their molecular design (P), 4: 158–163
Resist materials for electron-beam lithography (P), 4: 164–167
Spin coating (P), 4: 184–190

Microfiche
Procedures of making color fiche transparencies of maps, charts, and documents (P), 1: 12–17

Microimaging
A new phthalocyanine photoreceptor for diode laser printers (P), 1: 7–11
Procedures of making color fiche transparencies of maps, charts, and documents (P), 1: 12–17
Streamlining unit record filing operations with digital imaging technology (P), 1: 39–42

Non-impact printing
Adhesion of toner to photoconductors (P), 6: 279–284
High resolution resin printer (P), 6: 300–305
Electrostatic characteristics of electrophotographic powder (P), 6: 287–294
European developments in electrophotographic non-impact printing technologies (T), 6: 254–260
Flash fusible toner for laser printers (P), 6: 284–286
Foreward to special issue (P), 6: 251–252
Foreward to special issue (P), 6: 253
Hot roll fusing of monocomponent toners (P), 6: 261–267
Introduction to special issue on non-impact technologies (P), 6: 249–250
Physics of development in the 6670 electrophotographic printer (P), 6: 295–299
Pressure-fusing behavior of monocomponent toners (P), 6: 267–272
Pressure-fusing of monocomponent toners at high speeds (P), 6: 273–279
Text and image printing with LED arrays (P), 6: 306–310

Paper
Agfachrome-speed—a novel dye-diffusion material for prints from color slides (P), 3: 101–104

Peel-apart imaging systems
Peel-apart imaging systems based on photoactivated surfactants (P), 4: 191–195

Photoactivation
Peel-apart imaging systems based on photoactivated surfactants (P), 4: 191–195

Photoconductor
Adhesion of toner to photoconductors (P), 6: 279–284

Photofinishing
Some landmarks in the history of photofinishing (T), 3: 87–92
The impact of technology on tomorrow's photofinishing (P), 98–101
Wash water heat recovery (P), 2: 67–73

Photogrammetry
Application of photogrammetry to super wide field of view scanned images (P), 5: 233–235
Digital to analog conversion and visual evaluation of thematic mapper date (P), 3: 125–130

Photographic chemicals
New Kodak Ektachrome 22 and 21 Papers, Kodak Ektachrome 23 Film, and Kodak Ektachrome R-3 Chemicals (P), 1: 22–27

Photographic paper
Evolution of Kodak photographic color negative print papers (T), 3: 93–97
Polyethylene-coated photographic paper base (N), 3: 143–144

Photon counting
Photon-counting image acquisition systems and its application (P), 5: 215–220

Photoreceptors
European developments in electrophotographic non-impact printing technologies (T), 6: 254–260

Photoresist
Characterization of positive photoresist performance (P), 4: 168–174
Photogeneration of acid: Part 6—A preview of basic principles for resist imaging applications (T), 4: 146–157

Photoresists
Evaporated AgBr layers as a medium for recording micron and submicron structures (P), 4: 174–179

Plasma development
Plasma developable resists and their molecular design (P), 4: 158–163

Polyethylene coating
Polyethylene-coated photographic paper base (N), 3: 143–144

Polymer resists
Resist materials for electron-beam lithography (P), 4: 164–167

Precision shutter
High precision shutter for large format cameras (P), 1: 35–39

Pressure fusing
Pressure-fusing behavior of monocomponent toners (P), 6: 267–272
Pressure-fusing behavior of monocomponent toners at high speeds (P), 6: 273–279

Printing
A new phthalocyanine photoreceptor for diode laser printers (P), 1: 7–11

Print quality
Establishing print-quality standards and an end-of-line audit procedure (P), 3: 117–125

Processing
Developer reuse: a case history (P), 2: 59–63
Evaluation of a plate and frame heat exchanger in a large volume photoprocessing facility (N), 2: 83–85

Radiography
X-ray films: suppression of reciprocity failure by astronomical techniques (P), 1: 27–32

Reciprocity failure
X-ray films: suppression of reciprocity failure by astronomical techniques (P), 1: 27–32

Records storage
Streamlining unit record filing operations with digital imaging technology (P), 1: 39–42

Regeneration
Successful C-42 developer recycling (P), 2: 64–66

Remote sensing
4 × 1024 CCD array for remote sensing applications (P), 5: 198–204
Image analysis of tomato leaves with late blight (P), 3: 109–112

Resists
Plasma developable resists and their molecular design (P), 4: 158–163

Scanning
Application of photogrammetry to super wide field of view scanned images (P), 5: 233–235
Prototype system for electronic document image storage and retrieval (P), 5: 220–223

Silver bromide
Evaporated AgBr layers as a medium for recording micron and submicron structures (P), 4: 174–179

Silver bromide layers
Growth morphology of evaporated silver bromide layers (P), 4: 180–183

Silver recovery
Experience with ion exchange for silver recovery from photographic effluents (P), 2: 51–58
Optimizing silver recovery in photofinishing operations (P), 2: 43–50

Spin coating
Spin coating (P), 4: 184–190

Thermal recording
UV-fixable thermal recording paper (P), 3: 137–142

Toner
Adhesion of toner to photoconductors (P), 6: 279–284
Electrostatic characteristics of electrophotographic powder (P), 6: 287–294
Hot roll fusing of monocomponent toners (P), 6: 261–267

Toner flash fusing
Flash fusible toner for laser printers (P), 6: 284–286

Toners
Pressure-fusing behavior of monocomponent toners (P), 6: 267–272
Pressure-fusing behavior of monocomponent toners at high speeds (P), 6: 273–279

True relief
A technique to record only dimensional information in photographs (P), 1: 32–34

UV-fixable
UV-fixable thermal recording paper (P), 3: 137–142

Wash water
Wash water heat recovery (P), 2: 67–73

Xerography
Electronic extensions of xerography (P), 5: 239–243

Author Index

Amano, M. See Ooi, K., et al., 243–248
Assa, J.
—; Starbova, K.: Growth morphology of evaporated silver bromide layers (P), 4: 180–183
Ayala, J. See Lee, M. H., 279–284
Babu, S. V.
—; Srinivasan, V.: Characterization of positive photoresist performance (P), 4: 168–174
Barbo, B. C.
Successful C-42 Developer recycling (P), 2: 64–66
Wash water heat recovery (P), 2: 67–73
Bard, C. C. See Heidke, R. L., et al., 93–97
Bermane, D.
Influence of azo-dye aggregation of the dark stability of Cibachrome® images (P), 3: 105–108
Bhateja, S. K.
—; Gilbert, J. R.,: Pressure fusing behavior of monocomponent toners (P), 6: 267–272
—; Gilbert, J. R.: Pressure-fusing of monocomponent toners at high speeds (P), 6: 273–279
Binnie, D. R. See McCord, J. R., et al., 125–130
Bjorkengren, U.
—: Hertz, C. H., Samuelson, B.: Color ink jet printing—high resolution and compound jet applications (P), 1: 1–7
Balzquez, C. H.
—; Edwards, G. J.: Image analysis of tomato leaves with late blight (P), 3: 109–112
Busman, S. C.
—; Trend, J. E.: Peel-apart imaging systems based on photoactivated surfactants (P), 4: 191–195
Button, A. C.
—; Edberg, R. C.: Hot roll fusing of monocomponent toners (P), 6: 261–267
Cantella, M. J.
—; Dion, D. F.: Real-time dynamic range compression of electronic images (P), 5: 229–232
Cookson, J. See Suthasinekul, S., et al., 220–223
Coote, J. H.
Some landmarks in the history of photofinishing (T), 3: 87–92
Cope, A. D. See Elabd, H., et al., 198–204
Dainty, J. C.
—; Lehmbeck, D. R., Triplett, R.: Modeling of edge noise in particulate images (P), 3: 131–136
Dietrich, H. F. See Seufert, W. D., 32–34
Dion, D. F. See Cantella, M. J., 229–232
Drajo, F. J.
—; Granger, E. M., Hicks, R. C.: Procedures of making color fiche transparencies of maps, charts, and documents (P), 1: 12–17
Edberg, R. C. See Button, A. C., 261–267
Edwards, G. J. See Blazquez, C. H., 109–112
Egawa, Y. See Yoshida, O., et al., 205–209
Elabd, H.
—; Cope, A. D., Shallcross, F. V., Kosonocky, W. F., Levine. P. A., Hoffman, D. M.: 4 × 1024 CCD array for remote sensing applications (P), 5: 198–204
Endo, Y. See Yoshida, O., et al., 205–209
Eneva, J.
—; Starbova, K., Kitova, S.: Evaporated AgBr layers as a medium for recording micron and submicron structrues (P), 4: 174–179
Feldman, L. H. See Heidke, R. L., et al., 93–97
Fowler, K. J. See Schein, L. B. 295–299
Franklin, D.
Evaluation of a plate frame heat exchanger in a large volume photoprocessing facility (N), 2: 83–85
Gfeller, K. See Koch, H-C., 35–39
Gilbert, J. R. See Bhateja, S. K., 267–272
See also Bhateja, S. K., 273–279
Graff, D. R. See Mudunuri, B. K., et al., 233–235
Granger, E. M. See Drago, F. J., et al., 12–17
Gundlach, R. W.
Electronic extensions of xerography (P), 5: 239–243
Haas, W. E.
Introduction to special issue on non-impact technologies (P), 6: 249–250
Hahn, E. J. See Smith, A. G., et al., 27–32
Harada, N. See Yoshida, O., et al., 205–209
Hayashimoto, Y. See Yoshida, O., et al., 205–209
Heidke, R. L.
—; Feldman, L. H., Bard, C. C.: Evolution of Kodak photographic color negative print papers (T), 3: 93–97
Hertz, C. H. See Bjorkengren, U., et al., 1–7
Hicks, R. C. See Drago, F. J., et al., 12–17
Hoffman, D. M. See Elabd, H., et al., 198–204
Hosoda, M. See Tsuchiya, Y., et al., 215–220
Inoue, H.
—; Mori, M., Komada, S.: High-speed image scanner (P), 5: 210–214
Inuzuka, E. See Tsuchiya, Y., et al., 215–220
Jingyou, C. See Lihui, L., 143–144
Kakuta, A.
—; Mori, Y., Takano, S., Sawada, M., Shibuya, I.: A new phthalocyanine photoreceptor for iodide laser printers (P), 1: 7–11
Kassner, J. E.
Leuco color formers, modern imaging materials (P), 5: 224–228
Kitova, S. See Eneva, J., et al., 174–179
Kmetz, A. R.
Progress in liquid crystal displays (P), 5: 236–238
Kobayashi, N.
Forward to special issue (P), 6: 251–252
Koch, H.-C.
—; Gfeller, K.: High precision shutter for large format cameras (P), 1: 35–39
Komada, S. See Inoue, H., et al., 210–214
Kosonocky, W. F. See Elabd, H., et al., 198–204
Kurono, T. See Tsuchiya, Y., et al., 215–220
Kutsuwada, N.
—; Takayama, S., Nakano, A., Yamazaki, S., Suzuki, T.: Electrostatic characteristics of electrophotographic powder (P), 6: 287–294
Lacy, J. W. See Mudunuri, B. K., et al., 233–235
Lai, J. H.
Resist materials for electron-beam lithography (P), 4: 164–167
Lang, K.
—; Neely, N.: Developer reuse: a case history (P), 2: 59–63
Lee, M. H.
—; Ayala, J.: Adhesion of toner to photoconductors (P), 6: 279–284

LeGuehennec, J. P. See Weber, C. P., 22–27
Lehmbeck, D. R. See Dainty, J. C., et al., 131–136
Levine, P. A. See Elabd, H., et al., 198–204
Librecht, F. M.
Text and image printing with LED arrays (P), 6: 306–310
Lihui, L.
—; Jingyou, C.: Polyethylene-coated photographic paper base (N), 3: 143–144
Luden, C.
—; Schultz, R.: Total chemical management in photographic processing (P), 2: 74–82
Lutz, M.
European developments in electrophotographic non-impact printing technologies (T), 6: 254–260
May, D. E.
Streamlining unit record filing operations with digital imaging technology (P), 1: 39–42
McCord, J. R.
—; Binnie, D. R., Seevers, P. M.: Digital to analog conversion and visual evaluation of thematic mapper date (P), 3: 125–130
Meckl, H.
Experience with ion exchange for silver recovery from photographic effluents (P), 2: 51–58
Mori, M. See Inoue, H., et al., 210–214
Mori, Y. See Kakuta, A., et al., 7–11
Mudunuri, B. K.
—; Lacy, J. W., Graff, D. R.: Application of photogrammetry to super wide field of view scanned images (P), 5: 233–235
Nakamura, K.
Grain distribution and sensitivity characteristics of photographic black and white films (P), 1: 17–21
Nakano, A. See Kutsuwada, N., et al., 287–294
Narusawa, T.
—; Sawatari, N., Okuyama, H.: Flash fusible toners for laser printers (P), 6: 284–286
Neely, N. See Lang, K., 59–63
Okuyama, H. See Narusawa, T., et al., 284–286
Ooba, Y. See Sato, H., et al., 137–142
Ooi, K.
—; Sanda, K., Amano, M., Takemura, Y.: A new frequency interleaving CCD color video camera (P), 5: 243–248
Pappas, S. P.
Photogeneration of acid: Part 6—A preview of basic principles for resist imaging applications (T), 4: 146–157
Peters, M.
Agfachrome-speed—a novel dye-diffusion material for prints from color slides (P), 3: 101–104
Phillips, C. A. See Smith, A. G., et al., 27–32
Quinones, P. R.
Optimizing silver recovery in photofinishing operations (P), 2: 43–50
Rashidian, M. See Suthasinekul, S., et al., 220–223
Rothgordt, U.
Foreword to special issue (P), 6: 253
Samuelson, B. See Bjorkengren, U., et al., 1–7
Sanda, K. See Ooi, K., et al., 243–248
Sato, H.
—; Ooba, Y., Sugawara, S.: UV-fixable thermal recording paper (P), 3: 137–142
Sawada, M. See Kakuta, A., et al., 7–11
Sawatari, N. See Narusawa, T., et al., 284–286
Schein, L. B.
—; Fowler, K. J.: Physics of development in the 6670 electrophotographic printer (P), 6: 295–299
Schultz, R. See Luden, C., 74–82
Seevers, P. M. See McCord, J. R., et al., 125–130
Seufert, W. D.
—; Dietrich, H. F.: A technique to record only dimensional information in photographs 1: 32–34
Shallcross, F. V. See Elabd, H., et al., 198–204
Shibuya, I. See Kakuta, A., et al., 7–11
Smith, A. G.
—; Phillips, C. A., Hahn, E. J.: X-ray films: suppression of Reciprocity failure by astronomical techniques (P), 1: 27–32
Snyder, W. C.
Establishing print-quality standards and an end-of-line audit procedure (P), 3: 117–125
Srinivasan, V. See Babu, S. V., 168–174
Starbova, K. See Assa, J., 180–183
See also Eneva, J., et al., 174–179
Starkweather, G. K.
A high resolution laser printer (P), 6: 300–305
Sugawara, S. See Sato, H., et al., 137–142
Sukanek, P. C.
Spin coating (P), 4: 184–190
Suthasinekul, S.
—; Walker, F., Cookson, J., Rashidian, M., Thoma, G.: Prototype system for electronic document image storage and retrieval (P), 5: 220–223
Suzuki, T. See Kutsuwada, N., et al., 287–294
Takano, S. See Kakuta, A., et al., 7–11
Takayama, S. See Kutsuwada, N., et al., 287–294
Takemura, Y. See Ooi, K., et al., 243–248
Tanuma, C. See Yoshida, O., et al., 205–209
Thoma, G. See Suthasinekul, S., et al., 220–223
Tomoda, Y. See Watanabe, S., 113–116
Trend, J. E. See Busman, S. C., 191–195
Triplett, R. See Dainty, J. C., et al., 131–136
Tsuchiya, Y.
—; Inuzuka, E., Kurono, T., Hosoda, M.: Photon-counting image acquisition system and its applications (P), 5: 215–220
Tsuda, M.
Plasma developable resists and their molecular design (P), 4: 158–163
Ueda, H.
The impact of technology on tomorrow's photofinishing (P), 3: 98–101
Walker, F. See Suthasineku, S., et al., 220–223
Watanabe, S.
—; Tomoda, Y.: Durable recording of magneto-optic images (P), 3: 113–116
Weber, C. P.
—; LeGuehennec, J. P.: New Kodak Ektachrome 22 and 21 Papers, Kodak Ektachrome 23 Film, and Kodak Ektachrome R-3 Chemicals (P), 1: 22–27
Yamazaki, S. See Kutsuwada, N., et al., 287–294
Yokoyama, K. See Yoshida, O., et al., 205–209
Yoshida, O.
—; Endo, Y., Egawa, Y., Hayashimoto, Y., Tanuma, C., Yokoyama, K., Harada, N.: High resolution CCD imager with CCD-chip-shift operation (P), 5: 205–209